

	<p>CO-ORDINATION OF NOTIFIED BODIES PPE Regulation 2016/425</p> <p>RECOMMENDATION FOR USE</p>	<p>PPE-R/10.049 Version 1</p>
Number of pages: 1	Approval stage : Approved on :	
Origin : CTC	<input checked="" type="checkbox"/> Vertical Group <input checked="" type="checkbox"/> Horizontal Committee <input checked="" type="checkbox"/> EU PPE Working Group	10-02-2005 15-09-2019 07-02-2020
Question related to <input type="checkbox"/> PPE Regulation <input type="checkbox"/> PPE Guidelines <input checked="" type="checkbox"/> EN/prEN: EN ISO 20345:2011; EN ISO 20346:2014; EN ISO 20347:12 <input type="checkbox"/> Other:		
Article:	Annex:	Clause: 5.4
Key words: Upper Overlay		
<p>Question:</p> <p>In the context of this question, an “overlay material” is a component of the footwear upper that is only present in areas where there is a second (underlying) material that fully complies with the requirements of EN ISO 20345:2011 Clause 5.4.</p> <p>Question :</p> <p>What testing should be carried out on an “overlay material”?</p>		
<p>Solution:</p> <p>Overlay materials above the height defined in EN ISO 20345:2011, Table 10 – As they are not an insert no testing is required.</p> <p>Overlay materials below the height defined in EN ISO 20345:2011, Table 10, the following shall be tested :</p> <ul style="list-style-type: none"> • Upper, all requirements of EN 20345:2011/20346:2014/20347:2012 are applicable • Upper plus overlay material Water Vapour Permeability and coefficient 		