

	<b>CO-ORDINATION OF NOTIFIED BODIES</b> <b>PPE Regulation 2016/425</b> <b>RECOMMENDATION FOR USE</b>	PPE-R/03.039 Version 01
Number of pages: 1		Approval stage :                      Approved on :
Origin : NB2849		<input checked="" type="checkbox"/> Vertical Group                      11/02/2025 <input checked="" type="checkbox"/> Horizontal Committee                      20/03/2025 <input type="checkbox"/> EU PPE Expert Group
Question related to <input type="checkbox"/> PPE Regulation <input checked="" type="checkbox"/> EN/prEN: EN ISO 16321-1:2022 <input type="checkbox"/> Other:		
Article:                      Annex:                      Clause: 4.4		
Key words: cleaning and disinfection – quantity to be evaluated		
<p>Question:</p> <p>The number of test specimens to be evaluated in relation to cleaning and disinfection requirement is unclear.</p> <p>Clause 4.4: “The protectors shall be cleaned only once in accordance with the cleaning and/or disinfection procedures in the information to be supplied by the manufacturer before being subjected to testing.”</p> <p>Table 20, page 30 and Table 21, page 33 - Number of test specimens to be evaluated: “1”</p> <p>What is the quantity to be evaluated?</p>		
<p>Solution:</p> <p>All specimens should be cleaned prior to proceeding to further testing.</p>		